

Universität Bayreuth Lehrstuhl für Angewandte Informatik IV Datenbanken und Informationssysteme

Prof. Dr.-Ing. Jablonski


# A Modeling Methodology for Scientific Processes

Stefan Jablonski , <u>Bernhard Volz</u>, M. Abdul Rehman

email Bernhard.Volz@uni-bayreuth.de www http://ai4.inf.uni-bayreuth.de

## Applications in Geology





- Main characteristica
  - Many, heterogeneous systems involved
  - Data of different quality and format must be exchanged
  - Scientists are part of the applications
- Key points: Integration of data and human actors

- Aspects in integration
  - Technical: Data extraction and exchange (format, protocols)
  - Semantical: Different terminologies and ontologies of data
  - Organizational: Roles and rights of human agents

- Existing Systems (Kepler, Taverna etc.)
  - Working, but: Too specific, hard to extend
  - Missing: manual tasks, use of external models (e.g. data model)
  - We criticize the method that stands behind them, not their purpose or use!


#### Contribution: Not just another Information System but also a Structured Method

- Model the application as a process (abstract & concrete)
  - Processes cope with complex application scenarios and can be easily adjusted to changing requirements
  - Processes set up a structural framework that offers possibilities to introduce aspects of data and agent integration
- Automatically derive applications from these models which execute a process
- Leverage from existing techniques and methodologies!

## Solution Overview: Process Driven Architecture (PDA)



- PDA is a structural framework for
  - Development and customization of modeling methods
  - Development and customization of tool chain (modeling and execution infrastructure)




## Foundation: Perspective Oriented Process Modeling (POPM)



- Building blocks of a process: Perspectives Modularization modeling constructs and model
  - Functional perspective structural composition of a process
  - Behavioral perspective flow of control in between process steps
  - Data & data flow perspective data within the process
  - Organizational perspective responsibilities and roles in the process
  - Operational perspective tools and applications


- This list is far from being complete/fixed; it can be extended or restricted depending on the individual needs of an application!
- Our modeling tool i<PM implements the POPM approach; advantages</li>
  - New modeling elements can be integrated easily; highly customizable
  - Integration of external models (data, organizational, operational) and manual process steps
  - Data integration based on ontologies, etc.



## Example



#### Simple process involving human actors




Color can have a meaning:

- Type / kind of data,
- Special tasks etc.


Integration of external models:

- Definition of data (e.g. ER),
- Definition of invocation semantics,
- Organizational mapping etc.



## Perspectives in the process model (Overview)






## Data Integration: How does it work?




- Two different "modes": automatic and semi-automatic mapping
  - Depending on the ontologies used
  - Format conversions (not shown)









#### Summary



- Existing scientific workflow systems provide capabilities to integrate data,
  but they are too specific
  - Often bound to an application domain
  - Hard to adapt/extend: Special functionality which is often needed cannot be integrated cleanly
- PDA together with POPM provides this flexibility and extensibility
  - Small amount of actual coding needs to be done, mostly "configuration"
  - Ability to extend the methodology, modeling language and the software tools is part of the method (PDA) and not a feature of one special (sub-)system
  - Example: Modeling construct for classifying data items